

EU-Konformitätserklärung Nr. EU Declaration of Conformity No.

097005992_04_DoC

Hersteller / Manufacturer:
Anschrift / Address:

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8, 32825 Blomberg, Germany

Bestellschlüssel / Order key:
(Artikelbezeichnung / Order designation,
Artikel-Nr. / Order No.)

SACB - (A)(B)(C)(D)(E)(F)
1155993

Der obige Hersteller erklärt in alleiniger Verantwortung, dass das/die in dieser Erklärung bezeichnete(n) Produkt(e) mit den einschlägigen Anforderungen der folgenden Harmonisierungsrechtsvorschriften übereinstimmt/ übereinstimmen:
This declaration of conformity is issued under the sole responsibility of the manufacturer above. The product(s) specified in this declaration is/are in conformity with the following relevant harmonization legislation:

2011/65/EU
(OJ L 174, 1 July 2011)

Beschränkung der Verwendung bestimmter gefährlicher Stoffe
Restriction of the use of certain hazardous substances (RoHS)

Für die Beurteilung der Übereinstimmung wurden folgende einschlägige Normen herangezogen:
The following pertinent standards have been applied for the assessment of conformity:

EN IEC 63000:2018

Zertifikate einer benannten Stelle. *Certificates of a notified body.*

Anschrift / Address:

Referenz / Reference:

Ergänzende Informationen (z. B. Anmerkungen, Einschränkungen, etc.) zur Konformitätsbewertung:
Supplementary information (e.g., comments, restrictions, etc.) for conformity assessment:

Der folgende Anhang zu dieser EU-Konformitätserklärung ist integrativer Bestandteil dieser Erklärung. *The following annex to this EU declaration of conformity is an integral part of this declaration.*

Blomberg, 2021-05-10

i.A.



Markus Amende
Business Unit Industrial Field Connectivity
Manager Quality Controlling IFC

Ansprechpartner / Contact person

ppa.



Frank Mellies
Business Unit Industrial Field Connectivity
Vice President

Zeichnungsberechtigter / Authorized signatory

Anhang zur EU-Konformitätserklärung Nr.

Annex to EU Declaration of Conformity No.

097005992_04_DoC

Bestellschlüssel / Order key:
(Artikelbezeichnung / Order designation,
Artikel-Nr. / Order No.)

SACB - (A)(B)(C)(D)(E)(F)

1155993

Nomenclature SACB-articles (RoHS Section 3 / category 11)

Typenschlüssel

SACB - (A)(B)(C)(D)(E)(F)

Example:

(A)				-	(B)	/	(C)		-	(D)	-	(E)							(F)			
S	A	C	B	-	8	/	1	6	-	L	-	1	0	,	0	P	U	R		S	C	O

Example:

(A)				-	(E)						/	(E)						-	(E)		(E)					(F)	
S	A	C	B	-	1	6	X	0	,	5	/	3	X	1	,	0	-	5	0		P	U	R		S	H	

A - Product family

SACB = Sensor Actuator Cabling Box
SACB-C-H180 = Connector hood for pluggable screw connection*
**only RoHS declaration for SACB-C-H180 with cable length and "M8" at the end of the article description*

B - Number of slots

4 = 4 slots
6 = 6 slots
8 = 8 slots
10 = 10 slots
4Q = 4 QUICKON slots
6Q = 6 QUICKON slots
8Q = 8 QUICKON slots

C - Maximum connectable sensors

4 = 4 sensors
6 = 6 sensors
8 = 8 sensors
10 = 10 sensors
12 = 12 sensors
16 = 16 sensors
3P = 3 pole connection
4P = 4 pole connection
3 = 3 poles (only for M8 slots)
4 = 4 poles (only for M8 slots)

D - Local diagnostics

blank = no LED, only for boxes with M8 slots or shielded boxes, for M12 boxes
t
L = Status LED

E - Master cable connection

e.g. 10X0,34/2X0,75	=	number of wires and cable cross-section
xxx,xx	=	cable length in meter
/...	=	cable length configurable by customer*
e.g. PUR or 80MC	=	cable type
C	=	pluggable screw connection
C GG	=	header for pluggable screw connection
SC	=	spring cage connection
PT	=	push-in connection
PTP	=	pluggable push-in connection
M23	=	M23 connection

* if cable length is configurable, the string/.. Will move to the end of the designation

F - Optional information

SCO	=	SPEEDCON fast locking
M8	=	M8 slot thread
M8 HD	=	M8 slot thread heavy duty
FB	=	Food and beverage
NPN	=	for npn sensors
QO-0,34	=	QUICKON connection for core section 0,25mm ² to 0,34mm ²
OTB	=	on the back
SH	=	shielded box/ shielded cable
P	=	plastic thread
OD	=	outdoor
P12	=	Combination of M12 slot thread with M12 Push-Pull inverse
XXXXX	=	All article designations may be followed by additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color (e.g. BK= black), customer identification, packaging or plating options. Except: SH= shielded is not allowed