

DELTA line, aluminum-metallic frame 4-fold, 293x 80 mm



| Model | |
|------------------------------------|---------------|
| Product brand name | DELTA LINE |
| Product designation | Frame |
| Design of cover / flush design | No |
| General technical data | |
| Surface processing | others |
| Material | thermoplastic |
| Protection class | |
| Protection class IP | IP20 |
| Suitability | |
| Suitability for integration | |
| • built-in installation | No |
| • Device installation duct | No |
| • underfloor duct box | No |
| • flush mounting | Yes |
| Appearance | |
| Appearance | shiny |

| | |
|------------------|-----------------|
| RAL color number | 9006 |
| Color | Carbon metallic |

Product details

| | |
|--|----------------------|
| Product component | |
| <ul style="list-style-type: none"> • Labeling field • Hinged lid | <p>No</p> <p>No</p> |
| Product feature | |
| <ul style="list-style-type: none"> • halogen-free • transparent | <p>Yes</p> <p>No</p> |

Number

| | |
|-----------------|---|
| Number of units | 4 |
|-----------------|---|

Mechanical Design

| | |
|---------------------------|-------------------------|
| Height | 293 mm |
| Width | 80 mm |
| Mounting type | terminal mounting |
| Mounting position | horizontal and vertical |
| Material / of cover frame | plastic |

Certificates

General Product Approval



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG2554-3>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG2554-3>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2554-3

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

